

OPEN FIREPLACES FROM BRUNNER





Urfeuer® Panorama 50/44/66/

State: 19.09.2016





BRUNNER[®]
made in germany.

Dimension sheet | **Urfeuer® Panorama 50/44/66/44**



We suggest for CAD planing Palette CAD. Permanent updated drawings: www.brunner.de
 Frames / front versions are marked colored.

Dimension sheet | **Urfeuer® Panorama 50/44/66/44**



We suggest for CAD planing Palette CAD. Permanent updated drawings: www.brunner.de
 Frames / front versions are marked colored.

Planning and installation

Urfeuer® Panorama 50/44/66/44

Tested according to

EN 13229 W

Data for functional demonstration

| | | |
|-----------------------------|------|-------|
| Fuel amount | kg | 2 - 4 |
| Flue gas mass flow | g/s | 90 |
| Temperature on smoke outlet | °C | 90 |
| Necessary supply pressure | Pa | 6 |
| Combustion air consumption | m³/h | 276 |
| Combustion air connection Ø | mm | 250 |

Vent cross-section

| | | |
|------------|-----|-----|
| Supply air | cm² | 6 |
| Warm air | cm² | 2,5 |

Min. distances of fireplace

| | | |
|---------------------|----|----|
| to insulation layer | cm | 10 |
| to floor | cm | 14 |

Thermal insulation

| | | |
|---------------------------------|----|----------|
| Adjacent wall | cm | 10 |
| Floor | cm | 180 + 68 |
| Ceiling | cm | |
| Brick lining of protected walls | cm | |

Weight

| | | |
|-----------------------------|----|--|
| Fireplace + burning chamber | kg | |
|-----------------------------|----|--|

Ulrich Brunner GmbH
Zellhuber Ring 17 -18
D-84307 Eggenfelden
Telefon: +49 / (0)87 21 / 7 71-0
Telefax: +49 / (0)87 21 / 7 71-100
info@brunner.eu | www.brunner.eu

BRUNNER®